

## Lifetime Pre-Packed Lifetime Guarantee liner

Heavy duty pond liner in convenient pre packed sizes! Widely used by landscapers, highly resistant to damage from root penetration or tearing. This Lifetime liner is also UV light resistant ensuring years of enjoyment.


### Lifetime Pre Packed Liner

2 x 1.5 metres  
2 x 2.5 metres  
3 x 2.5 metres  
3 x 3.5 metres  
4 x 2.5 metres  
4 x 3 metres  
4 x 3.5 metres  
4 x 4.5 metres  
5 x 4 metres  
5 x 4.5 metres  
5 x 5 metres  
5 x 5.5 metres  
6 x 5 metres  
6 x 6 metres



Liner Accessories







# Liner

Can other liners take the strain?


- Lifetime guarantee
  - Eco safe
  - 0.5 mm thick or 0.8 mm for professional use
  - Flexible and rugged
  - High resistance to puncturing and tearing
  - Root resistance (DIN 4062)
  - Resistance to swelling
  - Ultra Violet Stabilised
  - Fish friendly
  - Tolerant to extreme temperatures
- 
- Special sizes and box welded liners available
  - Roll widths available: 2m 3m 4m 5m 6m 7m and 8m

<b>Proven Quality Pond Liner</b>	<b>Lifetime Guarantee</b>
<b>Tough but Flexible - Minimal Creasing</b>	<b>Two Grades Available</b>
<b>Specialty Made for Pond Construction</b>	<b>0.5mm - For Garden Ponds</b>
<b>UV Stabilised</b>	<b>0.8mm - Heavy Duty / Professional Use</b>



# Installing a pond liner

1 Dig the hole to the required shape for the liner, taking care to make the sides sloping rather than vertical. To create planting areas for marginal plants leave steps from 20 cm to 40 cm deep as required (as shown in the illustration). For a perfect finish, ensure that the top edge of the pool is level. This will make edging the pool easier with minimal visible liner exposed.



2. Ensure the pond is free from stones, place up on the base area of the excavation then place the stones in position.

# Pond Underlay The Protection

This man-made fibre will not rot and is essential for lining your pool excavation to prevent sharp objects from damaging your liner. Pool underlay is clean, easy to use and available off the roll or pre-packed sizes for convenience.



Should you need to tread on the liner remove shoes avoid piercing. Lightly anchor the liner in position with bricks evenly distributed around the edge of the liner, not the excavation.



3 Gradually run water into the pool at the same time pulling and tucking the liner into shape to ensure neat finish. You'll notice that the liner will stretch a first, then as the weight of water increases, it will mould itself to the shape of the sides. Fill the pool completely, checking that the liner fits closely all round. Leave overnight to ensure proper settlement of the liner. Trim off excess liner around the pool with



scissors or a knife leaving 30cm overlap for anchorage.

4 After a week you can complete your pool by edging in stone, or paving as desired, allowing for a small overhang to hide the liner from direct sunlight. For a different effect, grass tufts can be used, which may overhang and touch the water.

